

Index to Trend Tables

(Numbers refer to table numbers)

A

Table

Abortion	16, 17
Access to care (see also Ambulatory care; Health insurance; Hospital utilization)	52, 75, 76, 78
No recent health care visit, children	75
No usual source of care	52, 76, 78
Accidents, see Motor vehicle-related injuries; Unintentional injuries.	
Activities of Daily Living (ADL), see Limitation of activity.	
Adolescents, see Child and adolescent health.	
AIDS, see HIV/AIDS.	
Alcohol abuse treatment clients	86
Alcohol and drug hospitalizations	93, 94
Alcohol consumption	52, 64, 65, 67
Alzheimer's disease	32, 33
Ambulatory care (see also Access to care; Dental visits; Hospital utilization; Mammography; Medicare; Mental health, addictions; Veterans' medical care)	72, 77, 79, 83, 84, 85
Health care contacts	72
Hospital emergency department visits	77, 79, 83, 84
Hospital outpatient department visits	83
Physician office visits	83, 85
American Indian population	
Access to care	72, 75, 76, 77, 78, 79
AIDS cases	54
Alcohol consumption	64, 67
Ambulatory care	72, 77, 79
Birth rates	3, 9
Births, number	5
Birthweight, low and very low	12, 13, 14, 15
Cancer incidence rates	56
Cigarette smoking	11, 63, 64
Death rates, all causes	29, 30, 36
Death rates, geographic division and State	29
Death rates, selected causes	30, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48
Deaths, leading causes	32
Dental visits	80
Education of mother	10, 13, 21
Health insurance	127, 128, 129, 130
Health maintenance organization	131
Health status, respondent-assessed	59
Hospital utilization, emergency department	77, 79
Hospital utilization, inpatient	90
Illicit drug use	64
Infant mortality	20, 21, 24, 25
Limitation of activity	58
Mammography	82
Maternal mortality	44
Occupational injury deaths	50
Population, resident	1
Poverty level, persons and families below	2
Prenatal care	6, 7
Smoking status of mother	11
Students, health occupations	105, 106
Teenage childbearing	3, 8
Tobacco use	64
Unmarried mothers	9
Vaccinations	73
Years of potential life lost	31

A—Con.

Table

American Indian population—Con.	
Occupational injury deaths	50
Population, resident	1
Prenatal care	6, 7
Smoking status of mother	11
Students, health occupations	105, 106
Teenage childbearing	3, 8
Tobacco use	64
Unmarried mothers	9
Vaccinations	73
Years of potential life lost	31
Angiocardiography	95
Arthroscopy (knee)	95
Asian population	
Access to care	75, 76, 78
AIDS cases	54
Alcohol consumption	64, 67
Ambulatory care	72, 77, 79
Birth rates	3, 9
Births, number	5
Birthweight, low and very low	12, 13, 14, 15
Cancer incidence rates	56
Cigarette smoking	11, 63, 64
Death rates, all causes	29, 30, 36
Death rates, geographic division and State	29
Death rates, selected causes	30, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48
Deaths, leading causes	32
Dental visits	80
Education of mother	10, 13, 21
Health insurance	127, 128, 129, 130
Health maintenance organization (HMO)	131
Health status, respondent-assessed	59
Hospital utilization, emergency department	77, 79
Hospital utilization, inpatient	90
Illicit drug use	64
Infant mortality	20, 21, 24, 25
Limitation of activity	58
Mammography	82
Maternal mortality	44
Occupational injury deaths	50
Population, resident	1
Poverty level, persons and families below	2
Prenatal care	6, 7
Smoking status of mother	11
Students, health occupations	105, 106
Teenage childbearing	3, 8
Tobacco use	64
Unmarried mothers	9
Vaccinations	73
Years of potential life lost	31

A—Con.*Table*

Asian subgroups (Chinese; Filipino; Hawaiian; Japanese)	
Birth rates	9
Births, number	5
Birthweight, low	12, 13
Education of mother	10, 13, 21
Infant mortality	20, 21
Prenatal care	6
Smoking status of mother	11
Teenage childbearing	8
Unmarried mothers	9
Asthma	93, 94
Atherosclerosis	32, 33

B

Birth control, see Contraception.	
Births (see also Childless women)	3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 52, 93, 94
Age of mother	3, 9, 11
Birth rates	3, 9
Births, number	5, 9
Birthweight, low and very low	12, 13, 14, 15
Education of mother	10, 11, 13
Fertility rates	3
Geographic division and State	14, 15
Hospital utilization, delivery	93, 94
Prenatal care	6, 7, 52
Smoking status of mother	11, 12
Teenage childbearing	8
Unmarried mothers	9
Black population	
Abortion	16
Access to care	75, 76, 78
AIDS cases	54, 55
Alcohol consumption	64, 65, 67
Ambulatory care	72, 77, 79, 83, 85
Birth rates	3, 9
Births, number	5
Birthweight, low and very low	12, 13, 14, 15
Breastfeeding	19
Cancer incidence rates	56
Cancer survival, 5-year relative	57
Cholecystectomy	95
Cholesterol, serum	69
Cigarette smoking	61, 62, 63, 64, 65
Cocaine use	65, 66
Contraception	18
Coronary artery bypass graft	95
Death rates, all causes	29, 30, 34, 36
Death rates, geographic division and State	29

B—Con.*Table*

Black population—Con.	
Death rates, selected causes	30, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48
Death rates, urbanization	34
Deaths, leading causes	32
Dental caries (cavities), untreated	81
Dental visits	80, 136
Education of mother	10, 13, 21
Expenditures, health care	118
Fetal mortality	23
Functional limitation	136
Health insurance	127, 129, 130
Health maintenance organization (HMO)	131
Health status, respondent-assessed	59
Hospital utilization, emergency department	77, 79, 83, 84
Hospital utilization, inpatient	90, 136
Hospital utilization, outpatient department	83, 136
Hypertension	68
Illicit drug use	64
Infant mortality	20, 21, 23, 24, 25
Inhalants	65
Life expectancy	28
Limitation of activity	58, 98
Mammography	82
Marijuana use	64, 65
Maternal mortality	44
Medicaid	128, 130, 137
Medicare	130, 136
Nursing home utilization	97, 98
Occupational injury deaths	50
Out-of-pocket health care expenditures	118
Overweight and obesity	70, 71
Population, resident	1
Poverty level, persons and families below	2
Prenatal care	6, 7
Smoking status of mother	11
Students, health occupations	105, 106
Teenage childbearing	3, 8
Tobacco use	64
Unmarried mothers	9
Vaccinations	73
Years of potential life lost	31
Breastfeeding	19

C*Table*

Cancer (Malignant neoplasms)	30, 31, 32, 33, 39, 40, 41, 56, 57, 88, 89, 93, 94
Breast	30, 31, 41, 56, 57, 93, 94
Deaths and death rates	30, 32, 33, 39, 40, 41
Home health care patients	88
Hospice patients	89
Hospital utilization	93, 94
Incidence rates	56
Site-specific data	30, 31, 40, 41, 56, 57, 93, 94
Survival, 5-year relative	57
Trachea, bronchus, lung	30, 40, 56, 57, 93, 94
Years of potential life lost	31
Cardiac catheterization	95
Carotid endarterectomy	95
Cataract surgery	95
Central and South American population, see Hispanic subgroups.	
Cerebrovascular disease (stroke)	30, 31, 32, 33, 38, 93, 94
Deaths and death rates	30, 32, 33, 38
Hospital utilization	93, 94
Years of potential life lost	31
Cesarean section	95
Chancroid, see Diseases, notifiable.	
Child and adolescent health	
Abortion	16
Access to care	75, 76
AIDS cases	54
Alcohol consumption	52, 64, 65
Ambulatory care	72, 77, 83, 84, 85
Birth rates	3, 9
Birthweight	12, 13, 14, 15
Breastfeeding	19
Cigarette smoking	52, 64, 65
Cocaine use	65, 66
Contraception	18, 52
Death rates, all causes	36
Death rates, selected causes	42, 43, 45, 46, 47, 48
Deaths, leading causes	33
Dental caries (cavities), untreated	81
Dental visits	80
Early screening, Medicaid	138
Expenditures, health care	118
Health insurance	127, 128, 129
Health status, respondent-assessed	59
Hospital utilization, emergency department	77, 83, 84
Hospital utilization, inpatient	90, 91, 93, 94, 95
Hospital utilization, outpatient department	83
Illicit drug use	64
Infant mortality	20, 21, 22, 23, 24, 25, 26

C—Con.*Table*

Child and adolescent health—Con.	
Inhalants	65
Injury	84
Limitation of activity	58
Marijuana use	64, 65
Medicaid	128, 137
Out-of-pocket health care expenditures	118
Overweight	52, 71
Physical activity	52
Population, resident	1
Poverty level, persons and families below	2
Residential treatment centers for emotionally disturbed children	87, 108
Suicidal ideation, suicide attempts	60
Teenage childbearing	8
Tobacco use	64
Vaccinations	52, 73, 74
Childless women	4
Chinese population, see Asian subgroups.	
Chiropractors	99, 103, 104
Chlamydia, see Diseases, notifiable.	
Cholecystectomy	95
Cholesterol, serum	69
Chronic liver disease and cirrhosis	30, 31, 32, 33
Chronic lower respiratory diseases	30, 31, 32, 33, 42
Cigarette smoking (see also Births, smoking status of mother)	52, 61, 62, 63, 64, 65
Cirrhosis, see Chronic liver disease and cirrhosis.	
Cocaine use	65, 66
Communicable diseases, see also Diseases, notifiable . . .	35
Congenital anomalies	32, 33
Consumer Price Index (CPI)	114
Contraception (see also Fallopian tube procedures) . . .	18, 52
Coronary angioplasty	95
Coronary artery bypass graft	95
Cost, see Employee costs; Employer costs.	
Cuban population, see Hispanic subgroups.	
D	
Deaths, death rates (see also Cause-of-death titles; Infant mortality; Life expectancy; Years of potential life lost)	29, 30, 32, 33, 34, 35, 36
All causes	36
Educational attainment	35
Leading causes	32, 33
Selected causes	30
State	29
Urbanization	34
Dental caries (cavities), untreated	81

D—Con.*Table*

Dental visits	80, 136
Dentists	99, 103, 104, 105, 106
Diabetes mellitus	30, 31, 32, 33, 88, 93, 94
Deaths and death rates	30, 32, 33
Home health care patients	88
Hospital utilization	93, 94
Years of potential life lost	31
Diphtheria, see Diseases, notifiable; Vaccinations.	
Disability	
Blind and disabled Medicaid expenditures	137
Functional status of nursing home residents	98
Limitation of activity	58, 98
Medicare beneficiaries	136
Veterans with service-connected disabilities	139
Diseases, notifiable	53
Drug and alcohol hospitalizations	93, 94
Drug abuse treatment clients	86
Drug use, see Alcohol consumption; Cigarette smoking; Cocaine use; Illicit drug use; Inhalants; Marijuana use; Tobacco use.	
DTP (Diphtheria, Tetanus, Pertussis), see Vaccinations.	

E

Education	
Alcohol consumption	65
Births	10, 11, 13
Breastfeeding	19
Cigarette smoking	62, 63, 65
Cocaine use	65
Death rates	35
Infant mortality	21
Inhalants	65
Mammography	82
Marijuana use	65
Elderly population	
AIDS cases	54
Alcohol consumption	67
Ambulatory care	72, 79, 83, 84, 85
Cholesterol, serum	69
Cigarette smoking	61, 63
Death rates, all causes	36
Death rates, selected causes	37, 38, 39, 40, 41, 42, 43, 45, 46, 47, 48, 49
Deaths, leading causes	33
Dental caries (cavities), untreated	81
Dental visits	80, 136
Expenditures, health care	118

E—Con.*Table*

Elderly population—Con.	
Functional limitation	136
Health insurance	130
Health maintenance organization (HMO)	131, 144
Health status, respondent-assessed	59
Home health care patients	88
Hospice patients	89
Hospital utilization, emergency department	79, 83, 84
Hospital utilization, inpatient	90, 91, 93, 94, 95, 136, 144
Hospital utilization, outpatient department	83, 136
Hypertension	68
Injury	84
Life expectancy at age 65, 75	27, 28
Limitation of activity	58, 98
Mammography	82
Medicaid	130, 137
Medicare	130, 132, 134, 135, 136, 144
Nursing home expenditures	122, 123, 136, 140
Nursing home utilization	97, 98, 111, 122, 123, 136
Nursing homes	111
Occupational injury deaths	50
Out-of-pocket health care expenditures	118
Overweight and Obesity	70
Population, resident	1
Vaccination	52
Emergency department, see Ambulatory care.	
Employee costs for health insurance	133
Employer costs for health insurance	120
Endoscopy	95
Environmental air quality	52
Expenditures, national health (see also Consumer Price Index; Health research and development; HIV/AIDS, expenditures by Federal agency; Hospital expenses; Medicaid; Medicare; Mental health, expenditures; Nursing home expenditures; Physician expenditures; Prescription drug expenditures; Veterans' medical care)	112, 113, 115, 116, 117, 119, 140
Amount in billions	113, 116, 117, 119
Amount per capita	112, 113, 117, 140
Factors affecting growth	115
Government	113, 117
International	112
Percent of Gross Domestic Product	112, 113
Personal health care	115, 117, 140
Source of funds	113, 117
Type of expenditure	116, 117, 140
Type of payer	119

F*Table*

Fallopian tube procedures (see also Contraception)	95
Fertility rates, see Births.	
Fetal mortality	23
Filipino population, see Asian subgroups.	
Firearm-related injuries	48
Fractures	88, 93, 94, 95

G

Gonorrhea, see Diseases, notifiable.	
Gross Domestic Product (GDP)	112, 113

H

Haemophilus influenzae, invasive, see Diseases, notifiable.	
Hawaiian population, see Asian subgroups.	
Health care contacts, see Ambulatory care.	
Health expenditures, national, see Expenditures, national health.	
Health insurance (see also Health maintenance organization (HMO); Medicaid; Medicare)	52, 72, 75, 76, 77, 78, 79, 90, 120, 127, 128, 129, 130, 133, 147
Access to care	52, 75, 76, 78
Ambulatory care	72, 77, 79
Employment related	127, 130, 133
Employer costs	120
Hospital utilization, emergency department	77, 79
Hospital utilization, inpatient	90
Race	127, 128, 129, 130
65 years of age and over	130
Under 65 years of age	52, 127, 128, 129
Uninsured	129, 147
Health maintenance organization (HMO) (see also Health insurance)	131, 132, 144, 145, 146
Age, sex, race, Hispanic origin	131
Geographic division and State	146
Medicaid and State	145
Medicare and State	144
Plans and enrollment	132
Poverty level	131
Health status, respondent-assessed	59
Heart disease	30, 31, 32, 33, 37, 88, 89, 93, 94, 95
Deaths and death rates	30, 32, 33, 37
Home health care patients	88
Hospice patients	89
Hospital utilization	93, 94
Ischemic heart disease	30, 31

H—Con.*Table*

Heart disease—Con.	
Procedures (angiography; cardiac catheterization; coronary angioplasty; coronary artery bypass graft; pacemaker)	95
Years of potential life lost	31
Hepatitis, see Diseases, notifiable; Vaccinations.	
Hib (Haemophilus influenzae type b), see Vaccinations.	
Hispanic origin population	
Abortion	16
Access to care	75, 76, 78
AIDS cases	54, 55
Alcohol consumption	64, 67
Ambulatory care	72, 77, 79
Birth rates	3, 9
Births, number	5
Birthweight, low and very low	12, 13, 14, 15
Breastfeeding	19
Cancer incidence rates	56
Cigarette smoking	63, 64, 66
Cocaine use	64, 66
Contraception	18
Death rates, all causes	29, 30, 36
Death rates, geographic division and State	29
Death rates, selected causes	30, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48
Deaths, leading causes	32
Dental caries (cavities), untreated	81
Dental visits	80, 136
Education of mother	10, 13, 21
Expenditures, health care	118
Functional limitation	136
Health insurance	127, 129, 130
Health maintenance organization (HMO)	131
Health status, respondent-assessed	59
Hospital utilization, emergency department	77, 79
Hospital utilization, inpatient	90
Illicit drug use	64
Infant mortality	20, 21, 24, 25
Limitation of activity	58
Marijuana use	64
Maternal mortality	44
Medicaid	128, 130, 137
Medicare	130, 136
Occupational injury deaths	50
Population, resident	1
Poverty level, persons and families below	2
Prenatal care	6, 7
Smoking status of mother	11
Students, health occupations	105, 106
Teenage childbearing	3, 8

H—Con.*Table*

Hispanic origin population—Con.	
Tobacco use	64
Unmarried mothers	9
Vaccinations	73
Years of potential life lost	31
Hispanic subgroups (Central and South American; Cuban; Mexican; Puerto Rican) (see also Mexican; Puerto Rican)	
Birth rates	9
Births, number	5
Birthweight, low and very low	12, 13
Education of mother	10, 13, 21
Health insurance	127, 128, 129, 130
Health maintenance organization (HMO)	131
Infant mortality	20, 21
Prenatal care	6
Smoking status of mother	11
Teenage childbearing	8
Unmarried mothers	9
HIV/AIDS	30, 31, 32, 33, 35, 43, 54, 55, 92, 126
AIDS cases	32, 33, 54, 55
Deaths and death rates	30, 43
Educational attainment, death rates	35
Expenditures by Federal agency and activity	126
Hospital utilization	92
Years of potential life lost	31
Home health care patients	88
Homicide	30, 31, 32, 33, 46, 52
Hospice patients	89
Hospital employees	99
Hospital care expenditures (see also Consumer Price Index; Medicaid; Medicare)	117, 121, 140
Hospital utilization (see also Access to care; Ambulatory care; Medicaid; Medicare; Veterans' medical care)	90, 91, 92, 93, 94, 95, 96, 136, 144
Admissions	96
Average length of stay	90, 91, 92, 94, 96, 144
Days of care	90, 91, 92, 93
Diagnoses, selected	92, 93, 94
Discharges for inpatients	90, 91, 92, 93, 94
Outpatient department	96, 136
Procedures	95
Race and Hispanic origin	90, 136
Surgery	95, 96
Hospitals (see also Hospital employees; Mental health; Nursing homes)	107, 109, 110
Beds	107, 110
Geographic division and State	109, 110
Occupancy rate	107, 110

H—Con.*Table*

Hypertension	68
Hysterectomy	95

I

Illicit drug use	52, 64
Immunizations, see Vaccinations	
Income, family, see Poverty status	
Infant mortality (see also Fetal mortality)	20, 21, 22, 23, 24, 25, 26, 33
Age at death	20, 23, 25
Birth cohort data	20, 21, 22
Birthweight	22
Cause of death	33
Education of mother	21
Geographic division and State	24, 25
International	26
Race and Hispanic origin	20, 21, 23, 24, 25
Influenza and pneumonia	30, 31, 32, 33
Inhalants	65
Injuries, see Ambulatory care; Firearm-related injuries; Homicide; Hospital utilization, diagnoses; Motor vehicle-related injuries; Occupational injuries; Suicide; Unintentional injuries	
Inpatient care, see Hospital utilization; Mental health, addictions; Nursing home utilization	
Instrumental activities of daily living (IADL), see Limitation of activity	
International health, see Expenditures, international; Infant mortality; Life expectancy	
Intervertebral disc disorders	93, 94, 95
Ischemic heart disease, see Heart disease	

J

Japanese population, see Asian subgroups.

L

Leading causes of death	32, 33
Leading Health Indicators	52
Life expectancy	27, 28
Limitation of activity	58, 98
Liver disease, see Chronic liver disease and cirrhosis	
Low birthweight, see Births; Infant mortality	
Lumpectomy	95
Lyme disease, see Diseases, notifiable	

M*Table*

Malignant neoplasms, see Cancer.	
Mammography	82
Managed care, see Health maintenance organization (HMO); Preferred provider organization (PPO).	
Marijuana use	64, 65
Mastectomy	95
Maternal health, see Women's health.	
Maternal mortality	44
Measles (Rubeola), see Diseases, notifiable; Vaccinations.	
Medicaid (see also Health insurance)	117, 119, 128, 130, 131, 137, 138, 142, 145
Basis of eligibility	137
Coverage	128, 130
Expenditures	117, 119, 142
Geographic division and State	145
Health maintenance organization (HMO)	131, 145
Race and Hispanic origin	128, 137
Recipients and payments	137, 138, 145
Type of service	138
Medical doctors, see Physicians.	
Medicare (see also Health insurance)	117, 130, 131, 134, 135, 136, 141, 144
Age and sex	130, 135
Coverage	130
Enrollment	134, 135, 136, 144
Expenditures	117, 134, 136, 141
Geographic division and State	144
Health maintenance organization (HMO)	131, 144
Hospital utilization	144
Payments	135, 144
Race and Hispanic origin	130, 136
Type of service	130, 134
Meningococcal disease	33, 53
Mental health (see also Suicide)	52, 87, 93, 94, 108, 124, 143
Additions, mental health organizations	87
Beds and organizations	108
Depression	52
Expenditures	124, 143
Hospital utilization	93, 94
Mental illness, serious	93, 94
Metropolitan/nonmetropolitan data	
Access to care	75, 76, 78
Ambulatory care	72, 77, 79
Death rates	34
Dental visits	80
Health insurance	127, 128, 129, 130, 131
Health status, respondent-assessed	59
Hospital utilization	90

M—Con.*Table*

Metropolitan/nonmetropolitan data—Con.	
Limitation of activity	58
Vaccinations	73, 74
Mexican population (see also Hispanic subgroups)	
Cholesterol, serum	69
Cigarette smoking	63
Dental caries (cavities), untreated	81
Health status, respondent-assessed	59
Hospital utilization, emergency department	79
Hypertension	68
Limitation of activity	58
Medical students	105, 106
No usual source of care	78
Overweight and Obesity	70, 71
Poverty level, persons and families below	2
MMR (Measles, Mumps, Rubella), see Vaccinations.	
Motor vehicle-related injuries	30, 31, 45, 52, 84
Mumps, see Diseases, notifiable; Vaccinations.	
Myringotomy	95

N

National health expenditures, see Expenditures, national health.	
Neonatal mortality, see Infant mortality, age at death.	
Nephritis, nephrotic syndrome, and nephrosis	32, 33
Nulliparous women	4
Nurses	103, 104, 105, 106
Nursing home employees	99
Nursing home expenditures	117, 122, 123, 136, 140
Nursing home utilization	97, 98, 111, 136, 139
Nursing homes, beds, occupancy	111
Nutrition-related data	
Alcohol consumption	52, 64, 65, 67
Birthweight, low and very low	12, 13, 14, 15
Breastfeeding	19
Cancer death rates	30, 31, 32, 33, 39
Cancer incidence	56
Cerebrovascular disease (stroke), death rates	30, 31, 32, 33, 38
Cholesterol, serum	69
Diabetes mellitus	30, 31, 32, 33, 88, 93, 94
Hypertension	68
Infant mortality	20, 21, 22, 23, 24, 25, 26, 33
Ischemic heart disease	30, 31
Nutritionists/dieticians	103
Overweight and Obesity	52, 70, 71
Nutritionists/dieticians	103

O*Table*

Obesity	52, 70
Obstetrical laceration	95
Occupational diseases	49
Occupational injuries	50, 51
Occupational therapists	103, 104
Optometrists	103, 104, 105, 106
Osteoarthritis	88, 93, 94
Osteopaths, see Physicians.	
Out-of-pocket health care expenditures	118, 119
Outpatient department, see Ambulatory care; Hospital utilization, outpatient department.	
Overweight	52, 70, 71

P*Table*

Pacemakers	95
Perinatal mortality, see Infant mortality, age at death.	
Personal health care expenditures, see Expenditures, national health.	
Pertussis (whooping cough), see Diseases, notifiable; Vaccinations.	
Pharmacists	103, 104, 105, 106
Physical activity	52
Physical therapists	103, 104
Physician services expenditures (see also Consumer Price Index; Medicaid; Medicare)	117, 140
Physician utilization, see Access to care; Ambulatory care.	
Physicians	85, 99, 100, 101, 102, 103, 104, 105, 106
Active personnel	103
Doctors of osteopathy	103, 104, 105, 106
Employees, in offices of	99
Geographic division and State	100
International medical school graduates	101
Primary care	85, 102
Primary specialty	85, 101, 102
Schools and students	104, 105, 106
Pneumonia (see also Influenza and pneumonia)	93, 94
Podiatrists	103, 104, 105, 106
Poliomyelitis (Polio), see Diseases, notifiable; Vaccinations.	
Population, resident	1
Postneonatal mortality, see Infant mortality, age at death.	
Poverty status	2, 59, 72, 73, 75, 76, 77, 78, 79, 80, 81, 82, 90, 127, 128, 129, 130, 131
Access to care	75, 76, 78
Ambulatory care	72, 77, 79
Dental caries (cavities), untreated	81
Dental visits	80
Health insurance	127, 128, 129, 130
Health maintenance organization (HMO)	131

P—Con.*Table*

Poverty status—Con.	
Health status, respondent-assessed	59
Hospital utilization, inpatient	90
Limitation of activity	58
Mammography	82
Medicaid	128, 130
Persons and families below poverty level	2
Vaccinations	73
Preferred provider organization (PPO)	133
Prenatal care, see Births.	
Prescription drug expenditures (see also Consumer Price Index; Medicaid; Medicare)	117, 118, 140
Primary care physicians, see Physicians.	
Prostatectomy	95
Public Health, schools of; students	104
Puerto Rican population (see also Hispanic subgroups)	
Medical students	105, 106
Poverty level, persons and families below	2

R

Research and development, health (see also HIV/AIDS)	125
Rocky Mountain spotted fever, see Diseases, notifiable.	
Rubella (German measles), see Diseases, notifiable; Vaccinations.	
Rural data, see Metropolitan/nonmetropolitan data.	

S

Salmonellosis, see Diseases, notifiable.	
Self-assessment of health, see Health status, respondent-assessed.	
Septicemia	32, 33
Shigellosis, see Diseases, notifiable.	
Smoking, see Cigarette smoking.	
Socioeconomic status, see Education; Poverty status.	
Speech therapists	103, 104
State data	
Alcohol abuse treatment clients	86
Birthweight, low and very low	14, 15
Death rates	29
Drug abuse treatment clients	86
Expenditures, hospital care	140
Expenditures, nursing home and home health care . .	140
Expenditures, personal health care	140
Expenditures, physician	140
Expenditures, drug	140
Expenditures, State mental health agency	143
Health maintenance organization (HMO)	144, 145, 146
Hospital beds	109

S—Con.*Table*

State data—Con.	
Hospital occupancy rates	110
Infant mortality	24, 25
Medicaid	142, 145
Medicare	141, 144
Nursing homes, beds, occupancy, residents	111
Physicians	100
Prenatal care	7
Substance abuse treatment clients	86
Uninsured, health	147
Vaccinations	74
Sterilization, see Contraception; Fallopian tube procedures.	
Stroke, see Cerebrovascular disease.	
Substance abuse treatment clients	86
Sudden infant death syndrome, see Infant mortality, cause of death.	
Suicidal ideation, suicide attempts	60
Suicide	30, 31, 32, 33, 47
Surgery, see Hospital utilization.	
Syphilis, see Diseases, notifiable.	

T

Tetanus, see Diseases, notifiable; Vaccinations.	
Tobacco use	64
Tonsillectomy	95
Total hip replacement	95
Tubal ligation, see Fallopian tube procedures.	
Tuberculosis, see Diseases, notifiable.	

U

Uninsured, health, see Health insurance, uninsured.	
Unintentional injuries	30, 31, 32, 33
Urban and rural data, see Metropolitan/nonmetropolitan data.	
Usual source of care, see Access to care.	

V

Vaccinations	52, 73, 74
Varicella, see Vaccinations.	
Veterans' medical care	139

W

Wages and salaries	120
Women's health	
Abortion	16, 17
Access to care	78
AIDS cases	54, 55
Alcohol consumption	64, 65, 67

W—Con.*Table*

Women's health—Con.	
Ambulatory care	72, 79, 83, 84, 85
Birth rates, fertility rates	3, 9
Births, number	5, 9
Breast cancer	41, 56, 57, 93, 94
Breastfeeding	19
Cancer incidence rates	56
Cancer survival, 5-year relative	57
Cesarean section	95
Childless women	4
Cholesterol, serum	69
Cigarette smoking	11, 12, 61, 62, 63, 64, 65
Cocaine use	65, 66
Contraception	18, 52
Death rates, all causes	30, 36
Death rates, educational attainment	35
Death rates, selected causes	30, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48
Death rates, urbanization	34
Deaths, leading causes	32
Dental caries (cavities), untreated	81
Dental visits	80
Education of mother	10, 11, 13, 21
Expenditures, health care	118
Health insurance	127, 128, 129, 130
Health maintenance organization (HMO)	131
Health status, respondent-assessed	59
Home health care patients	88
Hospice patients	89
Hospital utilization, emergency department	83, 84
Hospital utilization, inpatient	90, 91, 92, 93, 94
Hospital utilization, outpatient department	83
Hypertension	68
Hysterectomy	95
Illicit drug use	64
Inhalants	65
Life expectancy	27, 28
Limitation of activity	58, 98
Lumpectomy	95
Mammography	82
Marijuana use	64, 65
Mastectomy	95
Maternal mortality	44
Medicare	130, 135, 136
Nursing home utilization	97, 98
Occupational injury deaths	50
Out-of-pocket health care expenditures	118
Overweight and Obesity	70, 71
Population, resident	1
Poverty, families with female householder	2

W—Con.*Table*

Women's health—Con.

Prenatal care	6, 7
Students, health occupations	106
Tobacco use	64
Teenage childbearing	3, 8
Unmarried mothers	9
Years of potential life lost	31

Y

Years of potential life lost (YPLL)	31
---	----